

Newest Police Body Worn Camera infrared waterproof portable DVR

Built in GPS and wifi 3g 4g police body wearable and portable camera dvr body worn camera

| | |
|--------------------|--------------------------------|
| Packaging Details: | Color Box/ Carton Box |
| Delivery Detail: | 3~5 work days for sample order |



Main Features

- 1) 2.4 inch Color Display Built-in;**
- 2) 2100mAh large Capacity Li-ion Battery;**
- 3) Full D1 Real-time Video & Audio Recording;**
- 4) Max. 128GB Micro-SD Card Supported;**
- 5) Built-in GPS Module.**
- 6) 2-way audio, supports PTT talkback;**
- 7) 3G/ 4G Remote View on PC or Smartphone;**
- 8) Built-in Wi-Fi Module.**

Specifications

| | | |
|------------------------------|---|---|
| Operating System | Linux | |
| Security Management | Administrator Password | |
| Video and Preview | Video Input | External Camera, Above 70 degree View Angle |
| | OSD | Time/ Date/ Device ID/ GPS |
| | Video Compression | H.264 Compression Coding |
| | Dual-Stream | Supported |
| | Resolution | D1/ HD1/ CIF Selectable |
| Audio | Audio Input | External Microphone |
| | Audio Compression | G.726 coding |
| Recording | Storage Medium | Micro-SD card(1G ~ 128G) |
| | File Format/ System | ASF/FAT32 |
| | Record Mode | Auto Recording after Startup |
| | Video Searching | Search by Date/ Time |
| | Playback | Local Playback; Support 2/ 4/ 8/ 16 Times Fast forward/ Backward |
| TFT Display | Size | 2.4 inch LCD |
| | Resolution | 480*234 |
| Wireless Transmission | 3G Module Built-in (4G Optional) | |
| Wi-Fi | built-in WIFI module | |
| GPS | built-in GPS Module | |
| System Upgrading | Upgrading from TF Card | |
| Power Supply | Battery Capacity | Li-ion Battery, 2100mAh, 7.4V |
| | Charging Time | Less than 3 hours |
| | Working Hour | Above 4 hours |
| Operating Environment | Temperature | -20°C~+50°C |
| | Humidity | 20% to 90% |
| Dimensions | 65(W) x130(H) x30(D) mm | |
| Three Proofings | Grade: IP54 | |
| Weight | Net: 475 g, (1.05LB) | |

Product Showcase







Client Software

Mobile monitoring and management platform

Web address: http://192.168.1.151

System | Video | Map | Favorites | System Set | Log Query | External App

Dev List | Pending | My Menu

Address

Google Map | MapInfo

1
2
3
4

Monitor Center (5/10)

- 3507586
- 3507587
- 3507588
- 3507589
- 3507590
- 3507591
- 3507592
- 3507593
- 3507594
- 3507595
- 3507596
- 3507597
- 3507598
- 3507599
- 3507600
- 3507601
- 3507602
- 3507603
- 3507604
- 3507605
- 3507606
- 3507607
- 3507608
- 3507609
- 3507610

Monitor: Online 1 | Alarm: 0 | Idle: 0 | GPS: 0

Device | Positioning Time | Position | Speed | Alarm | Status

| Device | Positioning Time | Position | Speed | Alarm | Status |
|---------|---------------------|-------------------|-------------|--------|--------|
| 3507592 | 2010-08-11 10:11:49 | 福建省漳州市龙文区(鹿港西庭公路) | 0.00 (km/h) | Normal | Online |

Monitoring | System Status

Running: 02:00:01 | Online: 6 / Number of set: 0 (0) / Areas: 0 / Total: 10 | Live Rate: 1.00% / Lock Rate: 1.00%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(5/12)
- 桂KY7501
- 桂C22762
- 贵C63968
- 贵C26552
- 贵C A6446
- 80319
- 贵F5001
- 桂KY7507
- 桂KY7509
- 桂KY7509
- 贵B0024
- 贵B0017

System Parameters

Language: Chinese

UI Style: Default

Exit System: Not Close No Operation Condition

Image Capture: On GPS_Download(CAPTURE) browse

Location: 72 (C Indicates variable loss)

GPS update time: 0 (Unit: s) 2-1.00

ID Name: Enable

Default choose of online equipment

Enable multi screen mode

Enable multi display

Display the vehicle of the city

Save

Monitor:1 Online:1 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

| Device | Positioning Time | Position | Speed | Alarm | Status | Usage | Other Info |
|---------|---------------------|---------------|-----------------------|-------|-------------------|-------|--------------|
| 贵C27762 | 2015-08-11 10:14:33 | 福建省福州市仓山区仓前街道 | 52.00 km/h(Northeast) | | (Online)ACC ON,SC | | SD CardExist |

Running: 00:05:15 Online: / Number of set loss: / Alarms: / Total:12 Line Rate:41.67% / Loc. Rate:41.67%

Mobile monitoring and management platform

Welcome to log in, RCHTEST
System
Video
Map
Playback
System Set
Log Query
Extend App

Dev List

- Monitor Center(12)
- 桂KY7569
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7586
 - CH1
 - CH2
 - CH3
 - CH4
- 桂KY7599
- 贵B2668
- 贵C26562
- 贵C A6446
- 80319
- 贵F5001
- 桂KY7507
- 贵B0024

Monitor:2 Online:2 Alarm:0 Offline:0 Idling:0 ACC:OFF GPS Invalid:0

| Device | Positioning Time | Position | Speed | Alarm | Sta |
|---------|---------------------|----------------------|----------------------|-------|------|
| 桂KY7569 | 2015-07-23 11:53:47 | 广西壮族自治区玉林市博白县兴隆中路10号 | 0.00 km/h(West) | | (On) |
| 桂KY7586 | 2015-07-23 11:53:57 | 广西壮族自治区玉林市博白县S216 | 0.00 km/h(Northeast) | | (On) |

Running: 00:02:05 Online: / Number of set loss: / Alarms: / Total:12 Line Rate:50.00% / Loc. Rate:33.33%

Applications



Welcome to contact RICHMOR for more details!

Skype:rcmctvsales5

WhatsApp:+86-18126263838