

Very professional vehicle security dome camera for bus indoor for front view Sony CCD

1/3 Sony CCD Car Camera Support Infrared With 3.6mm/2.8mm Lens For Optional (RCM-D360S/IR)

IR Camera's Specification:

1. Factory Directly Sale, Competitive Price
2. Dome Infrared Car Camera
3. 1/3 Sony CCD
4. 3.6mm/2.8mm Lens For Optional
5. 420TVL/480TVL/540TVL/600TVL for optional







IR Camera's Parameter:

Image Sensor:	Sony 1/3" Color CCD
Resolution:	420TVL/480TVL/540TVL/600TVL For Optional
Vertical Sync.Frequency:	50HZ
Minimun illumination:	1Lux
Lens:	3.6mm/2.8mm

Electronic Shutter:	1/50~1/10000sec
Night Vision Distance:	more than 15 m
Rotation:	100
Environment Requirements:	the place where the light is insufficient
Operating Temperature:	-20~60
Power Supply:	DC12V
Current Consumption:	110mA
Product Dimension:	RXH: 93X65mm
Gross Weight:	0.6kg
Interface:	Aviation plug/BNC

Related Car Camera:

Dome Camera



420/600/700TVL

Waterproof Camera



420/600/700TVL

MINI Camera



700TVL

Side View



420/480/600TVL

Back View



420/480/600TVL

Indoor Use




480/600TVL

MINI Dome



420/480/600TVL

Small Car Back



CMOS 380TVL

Small Car Back



CMOS 380TVL

IR Camera's Certification:

- 3. Inspected by the Inspection Institution of Bureau Veritas Certification.
- 4. 100% QC inspection Before Shipment.
- 5. CE/RoHS/FCC listed, competitive price.



Richmor

OEM & ODM Service

Brasil World Cup Supplier



Inner Training after study from Alibaba in July



Technical Training For Fast Response to Customer Richmor 锐驰



lecturer for Execution

